

CHIAVI DINAMOMETRICHE



DTW-32/85

Chiave dinamometrica digitale regolabile

- Ampio display retroilluminato che mostra la coppia di serraggio e la lettura in tempo reale.
- 2 led colorati, allarme e vibrazione danno avviso visivo e uditivo quando la coppia di serraggio è stata raggiunta.
- Alta precisione del 2%.
- Unità di misura disponibili: Nm - lbf.in - lbf.ft - kgf.m.
- Spegnimento automatico selezionabile dall'operatore.
- Possibilità di memorizzazione fino a 5 impostazioni di coppie di serraggio.
- Facile calibrazione.

Codice	Modello	Dimensioni	Peso
08007040	DTW32/85	460 x 90 x 70 mm	1,4 kg



Caratteristiche tecniche

Campo di lavoro	8 ÷ 85 N.m 71 ÷ 1195 lbf.in 6 ÷ 63 lbf.ft 1 ÷ 8 kgf.m
Precisione	± 2% (C.W./C.C.W. di lettura, da 10% a 100% fondo scala)
Risoluzione	0.1 Nm / 1 lbf.in / 0.1 lbf.ft / 0.1 kgf.m
Dimensioni apertura chiave	10 ÷ 32 mm
Alimentazione	3V (2 x AAA batterie)
Temperatura di utilizzo	0 ÷ 40°C
Temp. immagazzinamento	-20 ÷ 45°C
Lunghezza chiave	390 mm



Taratura

Codice	Descrizione
09053035	Rapporto taratura per chiave dinamometrica



TORQUE WRENCHES



DTW-32/85

Digital adjustable torque wrenches

Large back-light display shows the target torque and real time reading.

- 2-colour led light, buzzer and vibration provide visual and audible indicator when target torque is reached.
- High accuracy in 2%.
- Available measurement units: Nm - lbf.in - lbf.ft - kgf.m.
- Memory storage up to 5 sets of target torque setting.
- Easily calibration.

Code	Model	Dimensions	Weight
08007040	DTW32/85	460 x 90 x 70 mm	1,4 kg



Technical features

Working range	8 ÷ 85 N.m
	71 ÷ 1195 lbf.in
Accuracy	6 ÷ 63 lbf.ft
	1 ÷ 8 kgf.m
Resolution	± 2% (C.W./C.C.W. of reading, from 10% to 100% of full scale)
Open end size	0.1 Nm / 1 lbf.in / 0.1 lbf.ft / 0.1 kgf.m
Power supply	10 ÷ 32 mm
Operating temperature	3V (2 x AAA batteries)
Storage temperature	0 ÷ 40°C
Wrench length	-20 ÷ 45°C
	390 mm



Calibration

Code	Description
09053035	Calibration report for wrench





Wigam S.p.A.
Loc. Spedale 10/b
52018 Castel San Niccolò
(AR) Italia
Tel. 0575 / 5011
Fax. 0575 / 501200



Dichiarazione di conformità

Noi, firmatari della presente, dichiariamo sotto la nostra esclusiva responsabilità, che la chiave dinamometrica digitale, modello :

DTW32/85

è progettata secondo quanto prescritto dalla direttiva :

- 2014/30/UE Direttiva sulla compatibilità elettromagnetica

Test standard:

- EN 61000-6-1:2007
- EN 61000-6-3:2007+A1:2011

Castel San Niccolò
10/12/2018

Gastone Vangelisti
(Presidente)

A handwritten signature in black ink, appearing to read 'Gastone Vangelisti'.



Wigam S.p.A.
Loc. Spedale 10/b
52018 Castel San Niccolò
(AR) Italia
Tel. 0575 / 5011
Fax. 0575 / 501200



Declaration of Conformity

We, signers of this declaration, declare under our own exclusive responsibility, that the digital adjustable torque wrenches, model:

DTW32/85

Are designed according to the following directives prescriptions:

- **2014/30/UE Directive on electromagnetic compatibility,**

And according to the following directives EMC:

- **EN 61000-6-1:2007**
- **EN 61000-6-3:2007+A1:2011**

Castel San Niccolò
10/12/2018

Gastone Vangelisti
(President)

A handwritten signature in black ink, appearing to read 'Gastone Vangelisti'.