


## EASY MOTORISED RADIO KITS EASY DISTRIBUTION KITS

### KOOLNOVA

#zoning  
#airconditioning  
#control



White controls version available

1



## RADIO CONTROL UNIT

Code **KN-RADIO-WIFI**

€

- KOOLNOVA BUS output. Two polarity-free wires for connecting the different motorised elements.
- Input for total system shut-down (fire alarm or external ON-OFF).
- Input for humidity sensor (for cooling plane).
- Controls up to 8 air zones + 8 underfloor heating zones.
- Connection with RADIO thermostats (8 max).
- Wi-Fi module for communication with the KOOLNOVA cloud.
- RS485 communication ports.
- Frost protection function.
- V.IN: 100-277 VAC 50/60 Hz • I.IN. max: 0.45 Amp • AC load capacity: 10A/277 VAC.
- DC load capacity: 10A/30 VDC.
- Class II.
- Weight: 270 g.
- Dimensions: 90x180x61 mm.

2



## ETERNAL RADIO CONTROLS

Code **KN-ETERNAL-M** (black)

€

Code **KB-ETERNAL-M** (white)

€

**NO ROOM WIRING**

- Surface mounting (incl. support base for wall installation).
- Temperature setpoint selection. 0.5°C ranges. On-Off zone and system shut-down.
- Operating modes (cold/heat/floor heating and combined cycles) and system efficiency.
- Zone reading of ambient temperature and relative humidity.
- Temperature and machine speed management via communication interface.
- SLEEP function and hourly programming.
- 6 languages (Spanish, Italian, English, French, Portuguese, German).
- Frost protection function.
- Device power supply: 5V, 500mA (min).
- Maximum flow rate in open space: 50 m.
- Type of probe: IC.
- Weight: 180g.
- Dimensions: 83x124x20.5 mm (with support).

3



## SMART RADIO CONTROLS

Code **KN-SMART-S** (black)

€

Code **KB-SMART-S** (white)

€

**NO ROOM WIRING**

- Graphic interface with 1.3" OLED display and metallic colour finish
- Radio communication
- Rechargeable lithium-ion battery powered
- Includes a surface-mounting bracket and a MicroUSB to USB cable
- Surface installation
- Temperature setpoint selection
- Temperature and machine speed control
- SLEEP function
- 6 languages (Spanish, Italian, English, French, Portuguese, German)
- Dimensions: 83.5x83.5x19 mm (with support).

4



## MOTORISED DAMPER

Code **NH-CO-150-SLAVE**

€

Code **NH-CO-200-SLAVE**

€

- Motorised duct damper manufactured from galvanised steel sheet.
- Installations where you want to control the passage of air.
- Able to be operated in parallel with another motorisation (1 control manages up to 2 motors)
- Ø150, 200 and 250.

5



## INFRARED INTERFACE

Code **NH-CIR-INVERTER**

€

- BUS connection. Two polarity-free wires
- SELF-POWERED. No external power supply required.
- Programming via KOOLNOVA control.
- Requires the wireless receiver of the AC unit.

## WIRED INTERFACE\*

Code **NH-CFI-...**

€

## To complete the MOTORISED KIT code

e.g. **3KITMOT-S-RN-CFI-DAI**

Code	Description	Code	Machine
NH-CFI-DAI3	Daikin	NH-CFI-HIT	Hitachi
NH-CFI-MIT	Mitsubishi	NH-CFI-HIS	Hisense
NH-CFI-MIH	Mitsubishi HEAVY	NH-CFI-LGE	LG
NH-CFI-SAM2	Samsung	NH-CFI-MID	Midea
NH-CFI-FUJ1	Fujitsu	NH-CFI-PAN2	Panasonic
NH-CFI-TOS	Toshiba		

Code	Machine	Code	Machine
-DAI	Daikin	-HIT	Hitachi
-MIT	Mitsubishi	-HIS	Hisense
-MIH	Mitsubishi HEAVY	-LGE	LG
-SAM	Samsung	-MID	Midea
-FUJ	Fujitsu	-PAN	Panasonic
-TOS	Toshiba		

- BUS connection. Connection to the system's RS485 output.
- No external power supply required.
- Automatic and complete control of machine functions.
- Different types by machine brand.

## FAN COIL INTERFACE

Code **NH-GTP-UNI**

€

- Koolnova bus connection input.
- Two polarity-free wires.
- Isolated relay output for fan coil ON/OFF control.
- Isolated relay output for system production control.
- Isolated relay output for 3-speed control.
- 0-10V output for fan coil speeds.



COMPATIBLE





with leading brands on the market



CHOOSE THE KIT ACCORDING TO THE INTERFACE

## 2 ZONE







DIRECT EXPANSION IR REMOTE CONTROL KIT		DIRECT EXPANSION WITH CFI WIRED CONTROL		GTP WATER FAN COIL		WITHOUT INTERFACE NOINT	
							
<b>KIT CODES AND PRICE</b>		<b>KIT CODES AND PRICE</b>		<b>KIT CODES AND PRICE</b>		<b>KIT CODES AND PRICE</b>	
● <b>2KITMOT-S-RN-IR</b>		● <b>2KITMOT-S-RN-CFI...*</b>		● <b>2KITMOT-S-RN-GTP</b>		● <b>2KITMOT-S-RN-NOINT</b>	
○ <b>2KITMOT-S-RB-IR</b>		○ <b>2KITMOT-S-RB-CFI...*</b>		○ <b>2KITMOT-S-RB-GTP</b>		○ <b>2KITMOT-S-RB-NOINT</b>	
€		€		€		€	
KIT COMPONENT CODES	QTY.	KIT COMPONENT CODES	QTY.	KIT COMPONENT CODES	QTY.	KIT COMPONENT CODES	QTY.
KN-RADIO-WIFI	1	KN-RADIO-WIFI	1	KN-RADIO-WIFI	1	KN-RADIO-WIFI	1
NH-CIR-INVERTER	1	NH-CFI...*	1	NH-GTP-UNI	1		
NH-CO-150-SLAVE	2	NH-CO-150-SLAVE	2	NH-CO-150-SLAVE	2	NH-CO-150-SLAVE	2
● KN-ETERNAL-M	1	● KN-ETERNAL-M	1	● KN-ETERNAL-M	1	● KN-ETERNAL-M	1
○ KB-ETERNAL-M		○ KB-ETERNAL-M		○ KB-ETERNAL-M		○ KB-ETERNAL-M	
● KN-SMART-S	1	● KN-SMART-S	1	● KN-SMART-S	1	● KN-SMART-S	1
○ KB-SMART-S		○ KB-SMART-S		○ KB-SMART-S		○ KB-SMART-S	

\* COMPLETE THE KIT CODE WITH THE DEDICATED WIRE INTERFACE. SEE RELATED COMPATIBILITY LIST (POINT 5).

## 3 ZONE







DIRECT EXPANSION IR REMOTE CONTROL KIT		DIRECT EXPANSION WITH CFI WIRED CONTROL		GTP WATER FAN COIL		WITHOUT INTERFACE NOINT	
							
<b>KIT CODES AND PRICE</b>		<b>KIT CODES AND PRICE</b>		<b>KIT CODES AND PRICE</b>		<b>KIT CODES AND PRICE</b>	
● <b>3KITMOT-S-RN-IR</b>		● <b>3KITMOT-S-RN-CFI...*</b>		● <b>3KITMOT-S-RN-GTP</b>		● <b>3KITMOT-S-RN-NOINT</b>	
○ <b>3KITMOT-S-RB-IR</b>		○ <b>3KITMOT-S-RB-CFI...*</b>		○ <b>3KITMOT-S-RB-GTP</b>		○ <b>3KITMOT-S-RB-NOINT</b>	
€		€		€		€	
KIT COMPONENT CODES	QTY.	KIT COMPONENT CODES	QTY.	KIT COMPONENT CODES	QTY.	KIT COMPONENT CODES	QTY.
KN-RADIO-WIFI	1	KN-RADIO-WIFI	1	KN-RADIO-WIFI	1	KN-RADIO-WIFI	1
NH-CIR-INVERTER	1	NH-CFI...*	1	NH-GTP-UNI	1		
NH-CO-150-SLAVE	2	NH-CO-150-SLAVE	2	NH-CO-150-SLAVE	2	NH-CO-150-SLAVE	2
NH-CO-200-SLAVE	1	NH-CO-200-SLAVE	1	NH-CO-200-SLAVE	1	NH-CO-200-SLAVE	1
● KN-ETERNAL-M	1	● KN-ETERNAL-M	1	● KN-ETERNAL-M	1	● KN-ETERNAL-M	1
○ KB-ETERNAL-M		○ KB-ETERNAL-M		○ KB-ETERNAL-M		○ KB-ETERNAL-M	
● KN-SMART-S	2	● KN-SMART-S	2	● KN-SMART-S	2	● KN-SMART-S	2
○ KB-SMART-S		○ KB-SMART-S		○ KB-SMART-S		○ KB-SMART-S	

\* COMPLETE THE KIT CODE WITH THE DEDICATED WIRE INTERFACE. SEE RELATED COMPATIBILITY LIST (POINT 5).

## 4 ZONE



DIRECT EXPANSION IR REMOTE CONTROL KIT		DIRECT EXPANSION WITH CFI WIRED CONTROL		GTP WATER FAN COIL		WITHOUT INTERFACE NOINT	
							
<b>KIT CODES AND PRICE</b>		<b>KIT CODES AND PRICE</b>		<b>KIT CODES AND PRICE</b>		<b>KIT CODES AND PRICE</b>	
● <b>4KITMOT-S-RN-IR</b>		● <b>4KITMOT-S-RN-CFI...*</b>		● <b>4KITMOT-S-RN-GTP</b>		● <b>4KITMOT-S-RN-NOINT</b>	
○ <b>4KITMOT-S-RB-IR</b>		○ <b>4KITMOT-S-RB-CFI...*</b>		○ <b>4KITMOT-S-RB-GTP</b>		○ <b>4KITMOT-S-RB-NOINT</b>	
€		€		€		€	
KIT COMPONENT CODES	QTY.	KIT COMPONENT CODES	QTY.	KIT COMPONENT CODES	QTY.	KIT COMPONENT CODES	QTY.
KN-RADIO-WIFI	1	KN-RADIO-WIFI	1	KN-RADIO-WIFI	1	KN-RADIO-WIFI	1
NH-CIR-INVERTER	1	NH-CFI...*	1	NH-GTP-UNI	1		
NH-CO-150-SLAVE	3	NH-CO-150-SLAVE	3	NH-CO-150-SLAVE	3	NH-CO-150-SLAVE	3
NH-CO-200-SLAVE	1	NH-CO-200-SLAVE	1	NH-CO-200-SLAVE	1	NH-CO-200-SLAVE	1
● KN-ETERNAL-M	1	● KN-ETERNAL-M	1	● KN-ETERNAL-M	1	● KN-ETERNAL-M	1
○ KB-ETERNAL-M		○ KB-ETERNAL-M		○ KB-ETERNAL-M		○ KB-ETERNAL-M	
● KN-SMART-S	3	● KN-SMART-S	3	● KN-SMART-S	3	● KN-SMART-S	3
○ KB-SMART-S		○ KB-SMART-S		○ KB-SMART-S		○ KB-SMART-S	

\* COMPLETE THE KIT CODE WITH THE DEDICATED WIRE INTERFACE. SEE RELATED COMPATIBILITY LIST (POINT 5).





# RADIO SYSTEMS

## MOTORISED KITS

CHOOSE THE KIT ACCORDING TO THE INTERFACE

### 5 ZONE







DIRECT EXPANSION IR REMOTE CONTROL KIT		DIRECT EXPANSION WITH CFI WIRED CONTROL		GTP WATER FAN COIL		WITHOUT INTERFACE NOINT	
							
<b>KIT CODES AND PRICE</b>		<b>KIT CODES AND PRICE</b>		<b>KIT CODES AND PRICE</b>		<b>KIT CODES AND PRICE</b>	
● <b>5KITMOT-S-RN-IR</b>		● <b>5KITMOT-S-RN-CFI...*</b>		● <b>5KITMOT-S-RN-GTP</b>		● <b>5KITMOT-S-RN-NOINT</b>	
○ <b>5KITMOT-S-RB-IR</b>		○ <b>5KITMOT-S-RB-CFI...*</b>		○ <b>5KITMOT-S-RB-GTP</b>		○ <b>5KITMOT-S-RB-NOINT</b>	
€		€		€		€	
KIT COMPONENT CODES	QTY.	KIT COMPONENT CODES	QTY.	KIT COMPONENT CODES	QTY.	KIT COMPONENT CODES	QTY.
KN-RADIO-WIFI	1	KN-RADIO-WIFI	1	KN-RADIO-WIFI	1	KN-RADIO-WIFI	1
NH-CIR-INVERTER	1	NH-CFI... <sup>⊛</sup>	1	NH-GTP-UNI	1		
NH-CO-150-SLAVE	3	NH-CO-150-SLAVE	3	NH-CO-150-SLAVE	3	NH-CO-150-SLAVE	3
NH-CO-200-SLAVE	2	NH-CO-200-SLAVE	2	NH-CO-200-SLAVE	2	NH-CO-200-SLAVE	2
● KN-ETERNAL-M	1	● KN-ETERNAL-M	1	● KN-ETERNAL-M	1	● KN-ETERNAL-M	1
○ KB-ETERNAL-M		○ KB-ETERNAL-M		○ KB-ETERNAL-M		○ KB-ETERNAL-M	
● KN-SMART-S	4	● KN-SMART-S	4	● KN-SMART-S	4	● KN-SMART-S	4
○ KB-SMART-S		○ KB-SMART-S		○ KB-SMART-S		○ KB-SMART-S	

<sup>⊛</sup> COMPLETE THE KIT CODE WITH THE DEDICATED WIRE INTERFACE. SEE RELATED COMPATIBILITY LIST (POINT 5).

### 6 ZONE







DIRECT EXPANSION IR REMOTE CONTROL KIT		DIRECT EXPANSION WITH CFI WIRED CONTROL		GTP WATER FAN COIL		WITHOUT INTERFACE NOINT	
							
<b>KIT CODES AND PRICE</b>		<b>KIT CODES AND PRICE</b>		<b>KIT CODES AND PRICE</b>		<b>KIT CODES AND PRICE</b>	
● <b>6KITMOT-S-RN-IR</b>		● <b>6KITMOT-S-RN-CFI...*</b>		● <b>6KITMOT-S-RN-GTP</b>		● <b>6KITMOT-S-RN-NOINT</b>	
○ <b>6KITMOT-S-RB-IR</b>		○ <b>6KITMOT-S-RB-CFI...*</b>		○ <b>6KITMOT-S-RB-GTP</b>		○ <b>6KITMOT-S-RB-NOINT</b>	
€		€		€		€	
KIT COMPONENT CODES	QTY.	KIT COMPONENT CODES	QTY.	KIT COMPONENT CODES	QTY.	KIT COMPONENT CODES	QTY.
KN-RADIO-WIFI	1	KN-RADIO-WIFI	1	KN-RADIO-WIFI	1	KN-RADIO-WIFI	1
NH-CIR-INVERTER	1	NH-CFI... <sup>⊛</sup>	1	NH-GTP-UNI	1		
NH-CO-150-SLAVE	4	NH-CO-150-SLAVE	4	NH-CO-150-SLAVE	4	NH-CO-150-SLAVE	4
NH-CO-200-SLAVE	2	NH-CO-200-SLAVE	2	NH-CO-200-SLAVE	2	NH-CO-200-SLAVE	2
● KN-ETERNAL-M	1	● KN-ETERNAL-M	1	● KN-ETERNAL-M	1	● KN-ETERNAL-M	1
○ KB-ETERNAL-M		○ KB-ETERNAL-M		○ KB-ETERNAL-M		○ KB-ETERNAL-M	
● KN-SMART-S	5	● KN-SMART-S	5	● KN-SMART-S	5	● KN-SMART-S	5
○ KB-SMART-S		○ KB-SMART-S		○ KB-SMART-S		○ KB-SMART-S	

<sup>⊛</sup> COMPLETE THE KIT CODE WITH THE DEDICATED WIRE INTERFACE. SEE RELATED COMPATIBILITY LIST (POINT 5).

### 7 ZONE



DIRECT EXPANSION IR REMOTE CONTROL KIT		DIRECT EXPANSION WITH CFI WIRED CONTROL		GTP WATER FAN COIL		WITHOUT INTERFACE NOINT	
							
<b>KIT CODES AND PRICE</b>		<b>KIT CODES AND PRICE</b>		<b>KIT CODES AND PRICE</b>		<b>KIT CODES AND PRICE</b>	
● <b>7KITMOT-S-RN-IR</b>		● <b>7KITMOT-S-RN-CFI...*</b>		● <b>7KITMOT-S-RN-GTP</b>		● <b>7KITMOT-S-RN-NOINT</b>	
○ <b>7KITMOT-S-RB-IR</b>		○ <b>7KITMOT-S-RB-CFI...*</b>		○ <b>7KITMOT-S-RB-GTP</b>		○ <b>7KITMOT-S-RB-NOINT</b>	
€		€		€		€	
KIT COMPONENT CODES	QTY.	KIT COMPONENT CODES	QTY.	KIT COMPONENT CODES	QTY.	KIT COMPONENT CODES	QTY.
KN-RADIO-WIFI	1	KN-RADIO-WIFI	1	KN-RADIO-WIFI	1	KN-RADIO-WIFI	1
NH-CIR-INVERTER	1	NH-CFI... <sup>⊛</sup>	1	NH-GTP-UNI	1		
NH-CO-150-SLAVE	4	NH-CO-150-SLAVE	4	NH-CO-150-SLAVE	4	NH-CO-150-SLAVE	4
NH-CO-200-SLAVE	3	NH-CO-200-SLAVE	3	NH-CO-200-SLAVE	3	NH-CO-200-SLAVE	3
● KN-ETERNAL-M	1	● KN-ETERNAL-M	1	● KN-ETERNAL-M	1	● KN-ETERNAL-M	1
○ KB-ETERNAL-M		○ KB-ETERNAL-M		○ KB-ETERNAL-M		○ KB-ETERNAL-M	
● KN-SMART-S	6	● KN-SMART-S	6	● KN-SMART-S	6	● KN-SMART-S	6
○ KB-SMART-S		○ KB-SMART-S		○ KB-SMART-S		○ KB-SMART-S	

<sup>⊛</sup> COMPLETE THE KIT CODE WITH THE DEDICATED WIRE INTERFACE. SEE RELATED COMPATIBILITY LIST (POINT 5).





immagine rappresentativa

**PLENUM COMPLETE WITH SLEEVES**

Code **PLM-CDZ** €

- Machine supply plenum. • PAL material.
- Highly heat-insulating. • Aluminium sleeves. • Customised for ducted. • The panel is certified and homologated in Italy in class R.F. 0-1 in accordance with Min. Decree 26.06.84. • Rear or side connections.



**FLEXIBLE PIPE TES**

Code **TES160** €

Code **TES203** €

- Flexible piping made of reinforced aluminium foil. • Polyester film. • Steel wire spiral structure. • Glass wool mat (25 mm thick 16 kg m3). • Anti-condensation outer coating of aluminium fabric.



**TILTING RETURN GRILLE WITH FILTER**

Code **GRA6-800X400** €

- Filter holder intake grille with fixed fins inclined at 45°. • 12 mm thick COARSE class filter (G2). • In white anodised aluminium RAL 9016. • Wall/ceiling use. • In return installation height: 2.5 - 3.1 m. • Closing by means of screws (with magnets on request). • Aluminium colour on request.



**CLAMPS**

Cod. **FSI60-270** €

- Veryflex stainless steel hose clamps for flexible pipes. DIN 3017 - AISI 430 standards

**STANDARD DOUBLE DEFLECTION VENT**



Code **BMA-OV-300X150** €

Code **BMA-OV-400X150** €

- Supply vent with 2 rows of individually adjustable fins (horizontal and vertical). • Aluminium white RAL 9016 painted. • Clip fixing, screw holes on request. • Galvanised steel calibration damper. • Wall or duct installation in supply.



**SETTLING BOX FOR DOUBLE ROW VENT**

Code **PLP300X150-D150** €

Code **PLP400X150-D200** €

- Supply-only vent plenum. • Material polyurethane with blue ABS caps (for h 150 mm only). • Double connections for Ø 75 mm side CMV. • Min. footprint.

**LINEAR SLOT DIFFUSER**



Code **DLF20-800-2F** €

Code **DLF20-1000-2F** €

- Made of anodised aluminium painted white RAL 9016. • With black deflectors (standard), available with white deflectors. • Ceiling use, in supply and return. • Fixing by means of front screws or with springs inside the plenum.



**SETTLING BOX FOR LINEAR DIFFUSER**

Code **PLPDLF-08002F-D150** €

Code **PLPDLF-10002F-D200** €

- Settling box including sleeve for front or side hose connection.



**STAND FOR FIXING**

Code **CVL-V** €

**CONCEALED VENT PLENUM WITH BUILT-IN BOX**




Code **PSB300X150P-D150** €

Code **PSB400X150P-D200** €

- Concealed supply vent • In 12 mm thick PAL • Adjustable fins painted white RAL 9016 semi-gloss • Concealed profile • New design model • Can be installed on ceilings and walls in both masonry and drywall • Can be customised upon request.

SEZIONE VERTICALE CON VISTA LATERALE DEL BOCCHETTA A SCOMPARSA CON 6 DEFFLETTORI



**CONCEALED DIFFUSER PLENUM WITH BUILT-IN BOX h 50 mm**



Code **PSD800X50P-D150** €


Code **PSD1000X50P-D200** €

**IDEAL FOR INSTALLATION ON PLASTERBOARD\***


\*ask for codes for wall installation

- Concealed supply diffuser • In 12 mm thick PAL • Adjustable fins painted white RAL 9016 semi-gloss • Concealed profile • New design model • Can be installed on ceilings and walls in both masonry and drywall • Can be customised upon request.

SEZIONE VERTICALE CON VISTA LATERALE DEL DIFFUSORE A SCOMPARSA CON 3 DEFFLETTORI



**CONCEALED SLOT PLENUM WITH BUILT-IN BOX h 30 mm**



Code **PSF800X30P-D150** €

Code **PSF1000X30P-D200** €

**IDEAL FOR INSTALLATION ON PLASTERBOARD\***

\*ask for codes for wall installation

- Concealed supply slot • In 12 mm thick PAL semi-gloss • Concealed profile • New design model • Can be installed on ceilings and walls in both masonry and drywall • Can be customised upon request.

SEZIONE VERTICALE CON VISTA LATERALE DELLA FERITOIA A SCOMPARSA



**SANITIZATION SYSTEM**

OPTIONAL

For systems up to 7 kW


Code <b>KIT-SANI-1</b>			
CODE	DESCRIPTION	QTY.	PRICE per unit
DF09960	FC UNIT MODULE	1	
BOTOLA	HATCH	1	
TRASF-KIT-1	TRANSFORMER CASE	1	


For systems from 7 up to 14 kW

Code <b>KIT-SANI-2</b>			
CODE	DESCRIPTION	QTY.	PRICE per unit
DF09960	FC UNIT MODULE	2	
BOTOLA	HATCH	2	
TRASF-KIT-2	TRANSFORMER CASE	1	




# STANDARD SYSTEMS DISTRIBUTION KITS



 **BMA**  
Double deflection vent


**KIT CODE AND PRICE**

2KITDIS-BMA-P €			
CODE	QTY.	CODE	QTY.
PLM-CDZ	1	SC-300X150	2
TES160	10	BMA-OV-300X150	2
FSI60-270	4	GRA6-800X400	1
PLP-300X150	2		

 **DLF**  
Linear slot diffuser

**KIT CODE AND PRICE**

2KITDIS-DLF-P €			
CODE	QTY.	CODE	QTY.
PLM-CDZ	1	PLPDLF-08002F-D150	2
TES160	10	DLF20-800-2F	2
FSI60-270	4	GRA6-800X400	1
CVL-V	4		

 **PSB**  
Concealed vent plenum


**KIT CODE AND PRICE**

2KITDIS-PSB-P €			
CODE	QTY.	CODE	QTY.
PLM-CDZ	1	PSB300X150P-D150	2
TES160	10	GRA6-800X400	1
FSI60-270	4		

 **PSD**  
Concealed diffuser plenum


**KIT CODE AND PRICE**


2KITDIS-PSD-P €			
CODE	QTY.	CODE	QTY.
PLM-CDZ	1	PSD800X50P-D150	2
TES160	10	GRA6-800X400	1
FSI60-270	4		

 **PSF**  
Concealed slot plenum

**KIT CODE AND PRICE**


2KITDIS-PSF-P €			
CODE	QTY.	CODE	QTY.
PLM-CDZ	1	PSF800X30P-D150	2
TES160	10	GRA6-800X400	1
FSI60-270	4		



 **BMA**  
Double deflection vent


**KIT CODE AND PRICE**

3KITDIS-BMA-P €			
CODE	QTY.	CODE	QTY.
PLM-CDZ	1	BMA-OV-300X150	2
TES160	10	PLP-400X150	1
TES203	10	BMA-OV-400X150	1
FSI60-270	6	SC-400X150	1
PLP-300X150	2	GRA6-800X400	1
SC-300X150	2		

 **DLF**  
Linear slot diffuser

**KIT CODE AND PRICE**

3KITDIS-DLF-P €			
CODE	QTY.	CODE	QTY.
PLM-CDZ	1	PLPDLF-08002F-D150	2
TES160	10	DLF20-800-2F	2
TES203	10	PLPDLF-10002F-D200	1
FSI60-270	6	DLF20-1000-2F	1
CVL-V	6	GRA6-800X400	1

 **PSB**  
Concealed vent plenum


**KIT CODE AND PRICE**

3KITDIS-PSB-P €			
CODE	QTY.	CODE	QTY.
PLM-CDZ	1	PSB300X150P-D150	2
TES160	10	PSB400X150P-D200	1
TES203	10	GRA6-800X400	1
FSI60-270	6		

 **PSD**  
Concealed diffuser plenum


**KIT CODE AND PRICE**


3KITDIS-PSD-P €			
CODE	QTY.	CODE	QTY.
PLM-CDZ	1	PSD800X50P-D150	2
TES160	10	PSD1000X50P-D200	1
TES203	10	GRA6-800X400	1
FSI60-270	6		

 **PSF**  
Concealed slot plenum

**KIT CODE AND PRICE**


3KITDIS-PSF-P €			
CODE	QTY.	CODE	QTY.
PLM-CDZ	1	PSF800X30P-D150	2
TES160	10	PSF1000X30P-D200	1
TES203	10	GRA6-800X400	1
FSI60-270	6		



 **BMA**  
Double deflection vent

**KIT CODE AND PRICE**

4KITDIS-BMA-P €			
CODE	QTY.	CODE	QTY.
PLM-CDZ	1	BMA-OV-300X150	3
TES160	10	PLP-400X150	1
TES203	10	BMA-OV-400X150	1
FSI60-270	8	SC-400X150	1
PLP-300X150	3	GRA6-800X400	1
SC-300X150	3		

 **DLF**  
Linear slot diffuser

**KIT CODE AND PRICE**

4KITDIS-DLF-P €			
CODE	QTY.	CODE	QTY.
PLM-CDZ	1	PLPDLF-08002F-D150	3
TES160	10	DLF20-800-2F	3
TES203	10	PLPDLF-10002F-D200	1
FSI60-270	8	DLF20-1000-2F	1
CVL-V	8	GRA6-800X400	1

 **PSB**  
Concealed vent plenum


**KIT CODE AND PRICE**

4KITDIS-PSB-P €			
CODE	QTY.	CODE	QTY.
PLM-CDZ	1	PSB300X150P-D150	3
TES160	10	PSB400X150P-D200	1
TES203	10	GRA6-800X400	1
FSI60-270	8		

 **PSD**  
Concealed diffuser plenum

**KIT CODE AND PRICE**


4KITDIS-PSD-P €			
CODE	QTY.	CODE	QTY.
PLM-CDZ	1	PSD800X50P-D150	3
TES160	10	PSD1000X50P-D200	1
TES203	10	GRA6-800X400	1
FSI60-270	8		


 **PSF**  
Concealed slot plenum

**KIT CODE AND PRICE**

4KITDIS-PSF-P €			
CODE	QTY.	CODE	QTY.
PLM-CDZ	1	PSF800X30P-D150	3
TES160	10	PSF1000X30P-D200	1
TES203	10	GRA6-800X400	1
FSI60-270	8		

# DISTRIBUTION KITS



 **BMA**  
Double deflection vent

**KIT CODE AND PRICE**

5KITDIS-BMA-P				€
CODE	QTY.	CODE	QTY.	
PLM-CDZ	1	BMA-OV-300X150	3	
TES160	10	PLP-400X150	2	
TES203	10	BMA-OV-400X150	2	
FSI60-270	10	SC-400X150	2	
PLP-300X150	3	GRA6-800X400	1	
SC-300X150	3			

 **DLF**  
Linear slot diffuser

**KIT CODE AND PRICE**

5KITDIS-DLF-P				€
CODE	QTY.	CODE	QTY.	
PLM-CDZ	1	PLPDLF-08002F-D150	3	
TES160	10	DLF20-800-2F	3	
TES203	10	PLPDLF-10002F-D200	2	
FSI60-270	10	DLF20-1000-2F	2	
CVL-V	10	GRA6-800X400	1	

 **PSB**  
Concealed vent plenum


**KIT CODE AND PRICE**

5KITDIS-PSB-P				€
CODE	QTY.	CODE	QTY.	
PLM-CDZ	1	PSB300X150P-D150	3	
TES160	10	PSB400X150P-D200	2	
TES203	10	GRA6-800X400	1	
FSI60-270	10			

 **PSD**  
Concealed diffuser plenum


**KIT CODE AND PRICE**


5KITDIS-PSD-P				€
CODE	QTY.	CODE	QTY.	
PLM-CDZ	1	PSD800X50P-D150	3	
TES160	10	PSD1000X50P-D200	2	
TES203	10	GRA6-800X400	1	
FSI60-270	10			

 **PSF**  
Concealed slot plenum

**KIT CODE AND PRICE**


5KITDIS-PSF-P				€
CODE	QTY.	CODE	QTY.	
PLM-CDZ	1	PSF800X30P-D150	3	
TES160	10	PSF1000X30P-D200	2	
TES203	10	GRA6-800X400	1	
FSI60-270	10			



 **BMA**  
Double deflection vent

**KIT CODE AND PRICE**

6KITDIS-BMA-P				€
CODE	QTY.	CODE	QTY.	
PLM-CDZ	1	BMA-OV-300X150	4	
TES160	20	PLP-400X150	2	
TES203	10	BMA-OV-400X150	2	
FSI60-270	12	SC-400X150	2	
PLP-300X150	4	GRA6-800X400	1	
SC-300X150	4			

 **DLF**  
Linear slot diffuser


**KIT CODE AND PRICE**

6KITDIS-DLF-P				€
CODE	QTY.	CODE	QTY.	
PLM-CDZ	1	PLPDLF-08002F-D150	4	
TES160	20	DLF20-800-2F	4	
TES203	10	PLPDLF-10002F-D200	2	
FSI60-270	12	DLF20-1000-2F	2	
CVL-V	12	GRA6-800X400	1	

 **PSB**  
Concealed vent plenum


**KIT CODE AND PRICE**

6KITDIS-PSB-P				€
CODE	QTY.	CODE	QTY.	
PLM-CDZ	1	PSB300X150P-D150	4	
TES160	20	PSB400X150P-D200	2	
TES203	10	GRA6-800X400	1	
FSI60-270	12			

 **PSD**  
Concealed diffuser plenum


**KIT CODE AND PRICE**


6KITDIS-PSD-P				€
CODE	QTY.	CODE	QTY.	
PLM-CDZ	1	PSD800X50P-D150	4	
TES160	20	PSD1000X50P-D200	2	
TES203	10	GRA6-800X400	1	
FSI60-270	12			

 **PSF**  
Concealed slot plenum

**KIT CODE AND PRICE**


6KITDIS-PSF-P				€
CODE	QTY.	CODE	QTY.	
PLM-CDZ	1	PSF800X30P-D150	4	
TES160	20	PSF1000X30P-D200	2	
TES203	10	GRA6-800X400	1	
FSI60-270	12			



 **BMA**  
Double deflection vent

**KIT CODE AND PRICE**

7KITDIS-BMA-P				€
CODE	QTY.	CODE	QTY.	
PLM-CDZ	1	BMA-OV-300X150	4	
TES160	20	PLP-400X150	3	
TES203	20	BMA-OV-400X150	3	
FSI60-270	14	SC-400X150	3	
PLP-300X150	4	GRA6-800X400	1	
SC-300X150	4			

 **DLF**  
Linear slot diffuser

**KIT CODE AND PRICE**

7KITDIS-DLF-P				€
CODE	QTY.	CODE	QTY.	
PLM-CDZ	1	PLPDLF-08002F-D150	4	
TES160	20	DLF20-800-2F	4	
TES203	20	PLPDLF-10002F-D200	3	
FSI60-270	14	DLF20-1000-2F	3	
CVL-V	14	GRA6-800X400	1	

 **PSB**  
Concealed vent plenum


**KIT CODE AND PRICE**

7KITDIS-PSB-P				€
CODE	QTY.	CODE	QTY.	
PLM-CDZ	1	PSB300X150P-D150	4	
TES160	20	PSB400X150P-D200	3	
TES203	20	GRA6-800X400	1	
FSI60-270	14			

 **PSD**  
Concealed diffuser plenum

**KIT CODE AND PRICE**

7KITDIS-PSD-P				€
CODE	QTY.	CODE	QTY.	
PLM-CDZ	1	PSD800X50P-D150	4	
TES160	20	PSD1000X50P-D200	3	
TES203	20	GRA6-800X400	1	
FSI60-270	14			

 **PSF**  
Concealed slot plenum

**KIT CODE AND PRICE**

7KITDIS-PSF-P				€
CODE	QTY.	CODE	QTY.	
PLM-CDZ	1	PSF800X30P-D150	4	
TES160	20	PSF1000X30P-D200	3	
TES203	20	GRA6-800X400	1	
FSI60-270	14			

# KIT COMPOSITION

## PRACTICAL GUIDE TO READING THE AVAILABLE KIT CODES

**KITMOT**  
MOTORIZED KITS es. : 4KITMOT-S-RN-CFI-DAI

**KITDIS**  
DISTRIBUTION KITS es. : 4KITDIS-BMA-P

No. ZONES	KIT TYPE	MOTORIZED ELEMENTS	SYSTEM TYPE	INTERFACE TYPE	No. ZONES	KIT TYPE	DIFFUSERS TYPE	MACHINE PLENUM
2			RN (radio)	IR	2		BMA	
3				CFI...	3		DLF	P
4	KITMOT	DAMPER S	RB (radio)		4	KITDIS	PSB	WITH PLENUM
5			FN (radio)	GTP	5		PSD	NP
6				NO INT	6		PSF	<del>WITHOUT PLENUM</del>
7			FB (radio)		7		PLP	

NOTES: CODE WITH THE FINAL LETTERS "-NP" ARE DISTRIBUTION KITS WITHOUT PLENUM (E.G. 4KITDIS-BMA-NP)



RADIO SYSTEM  
**KIT MOT**


STANDARD SYSTEM  
**KIT DIS**

= COMPLETE KIT



## TOTAL CONTROL THROUGH APP

Air-conditioning  
Lighting  
Alarms



KOOLNOVA CLIMA



Disponibile su  
Google play



Disponibile su  
App Store

follow Air Control srl



**air control**  
Tecnologie per il controllo dell'aria

AIR CONTROL SRL  
Via Colico 10, 20158 Milano (MI)  
Tel. +39 0245482147

info@aircontrolclima.it • www.aircontrolclima.it