

CONCENTRIC PP/ALUMINIUM

Available diametres

Ø 60/100 - Ø 80/125

Documentation



DoP

get.atimariani.it/dop/DOP01.pdf



Instruction manual

get.atimariani.it/man/MANUT-PP-002.pdf



Catalogue section

get.atimariani.it/engcat/PP-ALU-CO.pdf

Applications



Indoor
installation



Condensing
devices



CONCENTRIC PP/ALUMINIUM

CONDENSING



Product designation according to EN 14471

Concentric rigid system chimney with plastic flue liner.							
Temperature	Pressure	Condensate	Corrosion	Distance from combustible mat.	Location	Reaction to fire	Protection
T120 max 120 °C	P1 200 Pa	W Wet utilization	2 Gaseous / liquid fuels	O10 10 mm	LI Indoor only	E Poor fire reaction properties	U0 Protection no fuels



Extension

Dim.	250 mm	500 mm	1000 mm	2000 mm
Cod.	WBPC610025	WBPC610050	WBPC610100	WBPC610200
Note				
Pcs.	1	1	1	1



Roof terminal

Dim.	1300 mm
Cod.	WMTC610
Note	5° - 30° pitched roof
Pcs.	1

Roof terminal

Dim.	1300 mm
Cod.	WNTC61050
Note	25° - 50° pitched roof
Pcs.	1

Horizontal flue terminal

Dim.	850 mm
Cod.	WBTPA610
Note	
Pcs.	1



Horizontal flue terminal

Dim.	1000 mm
Cod.	WBTA610
Note	deicing
Pcs.	1

Brown tile

Dim.	500 x 500 mm
Cod.	5-TA
Note	5° - 30° pitched roof
Pcs.	1

Black tile

Dim.	450 x 450 mm
Cod.	N5-TA50
Note	25° - 50° pitched roof
Pcs.	1



Black tile

Dim.	408 x 408 mm
Cod.	N5-TA13
Note	rigid for flat shaft
Pcs.	1

Inspection element

Dim.	250 mm
Cod.	WBPCIS610
Note	
Pcs.	1

Bend

Dim.	45°
Cod.	WBCUR61045
Note	
Pcs.	1



Bend

Dim.	93°
Cod.	WBCUR61090
Note	
Pcs.	1



Inspection bend

Dim.	93°
Cod.	WBCUR61090IS
Note	
Pcs.	1



Bend adapter

Dim.	
Cod.	WBCUR61001
Note	Ariston-Chaffoteaux, Beretta, Riello, Vaillant
Pcs.	1



Bend adapter

Dim.	
Cod.	WBCUR61002
Note	Argo, Baxi, Roca, Viessmann
Pcs.	1



Bend adapter

Dim.	
Cod.	WBCUR61003
Note	Biasi, Ferroli, Fondital, Nova Florida, Savio
Pcs.	1



Condensation drain

Dim.	145 mm
Cod.	WBSCV610
Note	vertical and horizontal
Pcs.	1



Wall bracket

Dim.	
Cod.	14-100
Note	
Pcs.	10



Wall cover

Dim.	
Cod.	9-10
Note	metal
Pcs.	20



Wall cover

Dim.	
Cod.	9-106
Note	EPDM
Pcs.	20



Vertical adapter

Dim.	Ø 60-100 / Ø 80-125
Cod.	WBPV812
Note	condensation drain
Pcs.	1





Extension

Dim.	250 mm	500 mm	1000 mm	2000 mm
Cod.	WBPC025	WBPC050	WBPC100	WBPC200
Note				
Pcs.	1	1	1	1



Roof terminal

Dim.	1300 mm
Cod.	WMTC100
Note	5° - 30° pitched roof
Pcs.	1



Roof terminal

Dim.	1300 mm
Cod.	WNTC10050
Note	25° - 50° pitched roof
Pcs.	1



Horizontal flue terminal

Dim.	850 mm
Cod.	WBCC100
Note	
Pcs.	1



Brown tile

Dim.	500 x 500 mm
Cod.	5-TA
Note	5° - 30° pitched roof
Pcs.	1



Black tile

Dim.	450 x 450 mm
Cod.	N5-TA50
Note	25° - 50° pitched roof
Pcs.	1



Black tile

Dim.	408 x 408 mm
Cod.	N5-TA13
Note	rigid for flat shaft
Pcs.	1



Inspection element

Dim.	250 mm
Cod.	WBPCIS
Note	
Pcs.	1



Bend

Dim.	45°
Cod.	WBCUR45
Note	
Pcs.	1



Bend

Dim.	93°
Cod.	WBCUR90
Note	
Pcs.	1



Inspection bend

Dim.	93°
Cod.	WBCUR90IS
Note	
Pcs.	1



Vertical adapter PP-PP

Dim.	h.125
Cod.	WBPP81205
Note	Junkers-Bosch
Pcs.	1



Condensation drain

Dim.	200 mm
Cod.	WBPCSCV
Note	vertical and horizontal
Pcs.	1



Wall bracket

Dim.	
Cod.	14-125
Note	
Pcs.	10



Wall cover

Dim.	
Cod.	9-125
Note	metal
Pcs.	20



Wall cover

Dim.	
Cod.	9-126
Note	EPDM
Pcs.	20



Wall cover

Dim.	210 x 210 mm - Ø125
Cod.	9-127
Note	white metal
Pcs.	1



Inspection element



Dim.	250 mm
Cod.	WBPCPI
Note	
Pcs.	1



Adapter

Dim.	Ø 80/Ø 80 - Ø 80/Ø 125
Cod.	WBSDP
Note	plastic
Pcs.	1

CONCENTRIC VERTICAL FLUE TERMINAL



Installation with N5-TA50 tile

Installation with N5-TA13 tile

