

<b>Gross weight</b>	0.02 kg
<b>Net weight</b>	0.01 kg
<b>Approval</b>	EAC LLC CDC TYSK
<b>Category</b>	Art. 4, par. 3
<b>Design</b>	SAE flare only
<b>Fluid Group</b>	1
<b>Orifice size</b>	00
<b>Packing format</b>	Multi pack
<b>Parts Program name</b>	T2/TE2
<b>Product accessories</b>	TXV accessories

<b>EAN</b>	5702422023371
<b>Rated cap. R404A, Range B [kW]</b>	1 kW
<b>Rated cap. R404A, Range B [TR]</b>	0.29 tons
<b>Rated cap. R404A, Range N [kW]</b>	1.3 kW
<b>Rated cap. R404A, Range N [TR]</b>	0.37 tons
<b>Rated cap. R407C, Range N [kW]</b>	1.8 kW
<b>Rated cap. R407C, Range N [TR]</b>	0.51 tons
<b>Rated cap. R507, Range B [kW]</b>	1 kW
<b>Rated cap. R507, Range B [TR]</b>	0.29 tons
<b>Rated cap. R507, Range N [kW]</b>	1.3 kW

<b>Product family name</b>	T2
<b>Product group</b>	Expansion valves
<b>Product name</b>	Orifice for expansion valve
<b>Quantity per packing format</b>	25 pc
<b>Rated cap. cond. Range N [IMP]</b>	tcond=100 °F tevap=40 °F tliq=98 °F
<b>Rated cap. cond. Range N [SI]</b>	tcond=38 °C tevap=4.4 °C tliq=37 °C
<b>Rated cap. R134a, Range N [kW]</b>	1.2 kW
<b>Rated cap. R134a, Range N [TR]</b>	0.34 tons
<b>Rated cap. R22, Range B [kW]</b>	1.3 kW
<b>Rated cap. R22, Range B [TR]</b>	0.38 tons

<b>Rated cap. R507, Range N [TR]</b>	0.37 tons
<b>Rated cap. R513A, Range N [kW]</b>	1 kW
<b>Rated cap. R513A, Range N [TR]</b>	0.29 tons
<b>Refrigerants</b>	R22/R407C R23 R236fa R407C R134a/R513A R407A R448A R449A R452A R404A/R507A
<b>Serviceable</b>	No
<b>Temperature range [°C] [Max]</b>	10 °C
<b>Temperature range [°C] [Min]</b>	-40 °C

<b>Rated cap. R22, Range N [kW]</b>	1.8 kW
-------------------------------------	--------

<b>Rated cap. R22, Range N [TR]</b>	0.51 tons
-------------------------------------	-----------

<b>Temperature range [°F] [Max]</b>	50 °F
-------------------------------------	-------

<b>Temperature range [°F] [Min]</b>	-40 °F
-------------------------------------	--------

<b>Type</b>	Orifice
-------------	---------

<b>Used for product</b>	T 2 TE 2
-------------------------	-------------